

I'm not a bot



Kamvas pro 12 driver

Page 2 Kamvas Pro 12 1 / 19 www.huion.com 3. Please don't place the display near water sources such as bathtub, washbasin, sinks, washing 4. Do not place the display on where is unstable or a height for children reaching easily in order 11. If the display has a breakdown, do not open the main case and try to repair it by yourself. using the substitute components specified by the manufacturer. Unauthorized component Page 3 Kamvas Pro 12 11 / 19 www.huion.com 1.Device disconnected: The display hasn't connected to your computer. 2.Device connected: The display has already connected to your computer. Page 4Page 5 Kamvas Pro 12 9 / 19 www.huion.com Page 6 Kamvas Pro 12 10 / 19 www.huion.com functions according to your own habits, thus will help to improve your work 1. Press Ⓚ - "Function Button" around three seconds until the OSD menu appears Ⓚ - : After entering menu, its function is down/left/decrease. 3. Press Ⓚ-"Function Button" again for around three seconds until the indicator will Page 7 Kamvas Pro 12 12 / 19 www.huion.com operation. We provide four directions of choice. Page 8 Kamvas Pro 12 13 / 19 www.huion.com Enable/Disable Press Key: Check/Uncheck"Enable Press key" Page 9 Kamvas Pro 12 14 / 19 www.huion.com Page 10 Kamvas Pro 12 4 / 19 www.huion.com Ⓚ USB Ⓚ HDMI Ⓚ Power Ⓚ Type-C Ⓚ Ⓚ Ⓚ Page 11 Kamvas Pro 12 3 / 19 www.huion.com Ⓚ@generation of portable desktop-level professional drawing display, which can Page 12 Kamvas Pro 12 2 / 19 www.huion.com 1. Product Overview

.....	3 1.1 Display Introduction	3 1.2 Product and Accessories
.....	6 1.4 Driver Installation	6 1.5 Pen Nib Replacement
.....	7 2.1 Using The Pen	7 2.2 Using the Display
.....	9 2.3 OSD Function	10 3. Function Setting
.....	11 3.2 Working Area Setting	11 3.3 Press Keys Function Setting
.....	14 3.6 Pen Pressure Testing	13 3.4 Pen Button Setting
.....	15 3.9 Data Export and Import	11 3.1 Device Connection Prompt
.....	16 4. Specifications	13 3.5 Pressure Sensitivity Setting
.....	17 5. Trouble Shooting	15 3.8 Enable the Windows Ink feature

5.1 Possible Breakdowns Related to DISPLAY 18 5.2 Possible Breakdowns Related to FUNCTIONS 18 Page 13 Kamvas Pro 12 17 / 19 www.huion.com Model GT-116 Screen Panel Size 11.6 inch Resolution 1920 x 1080(16:9) LCD Type IPS LCD Active Area 256.32 x 144.18mm Contrast Ratio 1000:1 Brightness Response Time 25 ms View Angle Gamut 120% sRGB Display Color 16.7 M(8bit) Touch Touch Type Passive Electromagnetic Resonance Resolution 5080 LPI Pressure Level 8192 Accuracy ±0.5 mm(Center), ±3 mm(Corner) Sensing Height 10 mm Report Rate 266 PPS Model PW507 Dimension 163.7 x 91.4 x 3 mm Buttons Two Customized Press Key General Output Voltage 12V 1A Video Interface Type-C Press Key 4 Customized Press Key Dimension 350 x 198.6 x 11mm Net Weight 0.765 kg(without stand) Adjustable Stand Two Levels Stand OS Support Windows 7 or later, macOS 10.12 or later Page 14 Kamvas Pro 12 7 / 19 www.huion.com Notice: When not in use, place the pen in the pen case or on the desk. Do not place Page 15 Kamvas Pro 12 6 / 19 www.huion.com 2. Plug the power adapter into the cable power connector and turn it 90 ° to 3. Turn on computer and switch on the display, the LED indicator will show After finishing installation, you can find the driver icon in the system tray area, computer, the icon will change to color , which means the driver has already Page 16 Kamvas Pro 12 16 / 19 www.huion.com Page 17 Kamvas Pro 12 15 / 19 www.huion.com Cancel Calibration: Click"Cancel calibration" or press ESC on the keyboard to cancel supported in such as Microsoft Office, Windows Journal, Adobe Photoshop CC, Page 18 Kamvas Pro 12 5 / 19 www.huion.com Digital Pen Pen Holder Pen Nibs Nib Clip - Quick Start Guide 3-in-1 Cable Stand Cleaning Cloth Page 19 Kamvas Pro 12 18 / 19 www.huion.com Abnormal Phenomena Possible Solutions Power indicator does not flash *Make sure power is on *Check the socket and power cable No display on the screen 1. Make sure power is on. 2. Correctly connect the 3-in-1 cable. 3. If you connect the display with a laptop, please make sure the display is on the right display mode: extend or duplicate mode. 4. Check whether the side indicator shows green, if not, it means no signal in. Please reboot your computer or reconnect the cable. 5. Is the signal wire broken or bent? If so, please replace the signal wire. Images are blurred Please set the display resolution with 1920 x 1080. Lack of colors Check the pins of the signal wire are not bent or fractured. There is chromatic aberration As the regional color temperature is different, so minor chromatic aberration is a normal phenomenon. Images jitter or ripple images appear It is likely that there is electric equipment nearby that brings about electronic interference. 5.2 Possible Breakdowns Related to FUNCTIONS Abnormal Phenomena Possible Solutions Pen doesn't work and no pressure in the graphics software 1. If the driver is damaged or is not properly installed, please uninstall the driver and reinstall it. 2. Try restarting your computer. 3. Try re-inserting the USB cable. Cursor movement is abnormal Try re-inserting the USB cable or restarting your computer. The side button of the pen doesn't work When pressing the side button, please make sure that the nib didn't touch the glass surface and the distance between the nib and surface is within 10mm There is a deviation between the tip and the cursor Try calibration Page 20 Kamvas Pro 12 19 / 19 www.huion.com Building 28, Quarter 4, HualDeCuiGang Industrial Park, Fuyong Street, Bao'an District, Note: Information in this manual is subject to change without further notice. For more information, please contact us with our email: service@huion.com Or go to our website (www.huion.com) to get the latest driver and user manual. If you have previously installed a tablet driver (Huion driver or other brands), please ensure that you uninstall them first. Having multiple tablet drivers on your computer would result in conflict and malfunction. Please refer to the following articles:If you are a new Huion user and have not installed any driver on your computer yet, please follow the steps below to install the driver. NOTE: Ensure you do not connect your tablet to your computer during installation unless advised to do so.TABLE OF CONTENTSVersion 15 DriversVersion 13 and 14 DriversVersion 12 DriversVersion 15 DriversGo to Huion's official website: and download the latest V15 driver.Locate the driver installation package in your default download folder.Click the installation package and drag the "HuionTablet" icon to "Applications".On your Applications window, double-click the HuionTablet application.If a pop-up window asks you if you are sure to open the HuionTablet app downloaded from the internet, click "Open".Click "Open System Preferences" when prompted.Click "OK" when the system prompts for a Bluetooth connection. It is necessary to allow Bluetooth connection to your Huion device with Bluetooth connection capability. Click "OK" even if your device has no Bluetooth connection. Skip to the next step if you don't see this prompt.On Security & Privacy > Privacy > Accessibility settings, please make sure to tick the "HuionTablet" app. You may need to unlock this setting before you can do so, and please don't forget to lock it again once done.Close your Security & Privacy window to continue with the driver installation. Click "YES, SHARE DATA" or "NO THANKS". We recommend that you share your data to help us improve our products.Connect your tablet to your computer, and when the driver detects your tablet, you can now configure your Press Keys, Working Area, and Digital Pen.Now, you have completed all the steps and installed the driver correctly. You can open your drawing or writing program downloaded online and start using your device. Have fun!With Version 15 drivers, you can connect 2 devices simultaneously. Just change the device you want to configure at the bottom of the driver.If you have any further questions, please don't hesitate to contact us at service@huion.com.Version 13 and 14 DriversStep 1. Driver Installation1) Go to Huion's official website: and download the latest V14 driver.2) Click the installation package >Drag the "HuionTablet" icon to "Applications"> Double click "HuionTablet"> Select "Open" to run the driver..3) The following problem may occur after installation, depending on the user's specific settings. The corresponding solution is as follows:If the software is not downloaded from the App Store, the system will pop up a prompt as follows: You can open the software by clicking "Open". Step 2. Make Sure the Driver Interface Shows "Device connected".After properly installing the driver, please open the driver and plug all the cables correctly. Check if the driver interface shows "Device connected" (as shown below). If the driver interface shows "Device disconnected", please check if the "TabletDriverAgent" process has been enabled and running in your Activity Monitor. If it has been enabled, it will show as the screenshot below: If it has not been enabled correctly, you must restart the "TabletDriverAgent" process. That means you need to restart the driver.Step 3. If the driver interface shows" Device connected", follow the steps below to set up "Security and Privacy".1) When using the stylus pen to touch the graphic tablet or pen display, the system will detect the first trigger and its action. It will promptly pop up a box to enter the "System Preferences" interface (because of Apple company's policy. If you do not grant access to our driver, you will not be able to use our graphics tablet in the Mac system.)2) Please click "Open System Preferences", then open and set up the "Security & Privacy" as shown in the picture below.If you accidentally click "Deny", you will need to redo the steps to pop up the "System Preferences" again.Go to Mac System Preferences > Security & Privacy > Privacy > AccessibilityStep 4. Add "TabletDriverAgent" and "HuionTablet" to the whitelist.You can see that "TabletDriverAgent" is in the whitelist but is unchecked. Please follow the steps below to check it:1) Click the lock icon to unlock and input your password.2) Tick the box beside the "TabletDriverAgent" and "HuionTablet," then proceed to Step 5. If "HuionTablet" is missing, please proceed to step #3 below.3) Click "+" and it will bring you to another page.4) Click "Applications", search for "HuionTablet," and find the "HuionTablet" driver. Then, click the "HuionTablet" icon and select "Open". After completing the abovementioned steps, you can successfully tick "HuionTablet" to the whitelist.5) The last step is to tick the box beside "HuionTablet".Now, you have completed all the steps and installed the driver correctly. You can open your drawing or writing program downloaded online and start using your device. Have fun!If you have any further questions, please don't hesitate to contact us at service@huion.com.Version 12 DriversLocate your driver installation package folder and double-click on it.Click close after the driver installation is complete.Double-click on the driver installation package again and click "Continue".Click "Install".Enter your computer password again, then click "Install Software".Click "OK" on the pop-up box.Ensure that the tablet driver shows "Device Connected then Click "Open System Preferences".On the Input Monitoring setting, ensure to tick the "TabletDriver" app. (If you don't see any Input Monitoring setting, you can skip this step and proceed to Step #11 below.)Then click "Quit & Reopen".Tap your digital pen on the surface of your tablet and click "Open Systems Preferences" on the pop-up box.On the Accessibility settings, make sure to check the "TabletDriver" app.Your tablet driver will temporarily show as disconnected as your computer updates the settings. Once done, your tablet driver will show "Device connected," and your driver is now successfully installed.Now, you have completed all the steps and installed the driver correctly. You can open your drawing or writing program downloaded online and start using your device. Have fun!If you have any further questions, please don't hesitate to contact us at service@huion.com. A one-stop-shop for users to access drivers, manuals, and firmware updates, providing user-friendly and regularly updated download resources. In this guide, we will show you how to install Huion drivers on Windows 11/10 computers. Huion is a company that makes Pen tablets, Computers, Displays, etc.Install Huion drivers in Windows 11/10Before installing Huion drivers there are a few things that you need to do. They are:Uninstall all the previous instances off Graphics Tablet drivers. Your computer should be clean of them before you start installing these drivers.Make sure to restart your system if you have just uninstalled any driver.Make sure to disable your antivirus or any-third party application, especially drawing applications, such as Paint or any Editing app, before the installation.You should not connect your Graphics Input device before installing the driver.Make sure to not change the default path value as it can cause trouble for you in the installation process or later.After you are done with the precautions mentioned above, it is time to install Huion Drivers on your computer. Follow the given steps to do the same.Go to huion.com.Select your Model, OS, and select Drivers.Then click Submit.Now, download the version you want.Next up, extract the ZIP file and open the Setup.As mentioned earlier, you should not change the default path and install the driver with the default configuration.After installation, you can launch the application and if you are seeing Device Connected then this means that the process is successful.How do I get my Huion tablet to work on PC?To set up your Huion tablet, follow the given steps.Plug one end of the tablet into the Power socket and the other end, i.e; HDMI/USB, to the respective port.Now, you will be able to use your drawing tablet.If you are on a multiple monitor setup, then you need to dive into the Settings by Win + I, go to System > Display. Now, you will see multiple monitors there, so, you can just arrange them in their respective order. You will see numbers on each monitor telling you its order. Then go to Multiple displays by scrolling down and from the drop-down menu, select Extend desktop to the display.That's how you set up your Huion tablet.Related: Where to download drivers for Windows computers?How to update Huion drivers?If you want to keep your Huion drivers up-to-date then you are obviously on the right track. Keeping your drivers updated is good practice, because otherwise, they may start behaving peculiarly. In this section, we are going to see how to update Huion drivers with two different methods.Update Huion drivers manuallyUpdate Huion drivers automaticallyLet us see both of them.1) Update Huion drivers manuallyIf you want to update Huion drivers manually, then go to their official website and download the latest version of the driver. You can check the way we installed Huion drivers above if you stumble upon some issue.2) Update Huion drivers automaticallyIf you don't want to do all that work then let Windows do it for you. To update Huion drivers automatically from the Device Manager, follow the given steps.Open Device Manager by Win + X > Device Manager.Expand Mice and other pointing devices.Right-click on your Huion driver, and click Update driver.Finally, click Search automatically for updated driver software.You can then follow the on-screen instructions and you will be good to go.Read: Calibrate & Adjust Microsoft Surface Touch & Pen Settings.Why is my Huion tablet not working?If your Huion tablet is not working then there can be three things that you may be experiencing.Tablet's drivers are not installed properly, you should try installing them manually to resolve the issue in this case.Tablet is faulty, contact the company if that's the caseThe USB device is not working: You should try fixing your USB device.Why is my Huion driver not opening? There are a few things behind the scenes. For example, if there are some issues with the driver, it won't open - no matter what you do. On the other hand, if the cable is not working properly, you might encounter the same problem. Apart from that, you should check the USB port of your computer as well.That's it!Read Next: Ghost Touch Circles and erratic mouse behavior on Windows. Reddit and its partners use cookies and similar technologies to provide you with a better experience. By accepting all cookies, you agree to our use of cookies to deliver and maintain our services and site, improve the quality of Reddit, personalize Reddit content and advertising, and measure the effectiveness of advertising. By rejecting non-essential cookies, Reddit may still use certain cookies to ensure the proper functionality of our platform. For more information, please see our Cookie Notice and our Privacy Policy.